
Tempo Range

2024



Contents

4-5	Music Stands
6-7	Jazz Stand
8-9	Jazz Stand Pro
10-11	Alto Stand
12-13	Scherzo Stand
14-15	Performer3 Range
16-17	Jazz Tablet Stand
	Microphone Stands
20	Music Stand Lights
21	Star Light
22	Apollo Light
	Apollo Piano Lights
24	Accessories and Trolleys
25	Accessories
	Trolleys





The Tempo Range


Using our expertise that spans over 45 years, we have created an accessible range of products, which boasts the high-quality standards of our professional range, to be used by beginners and professional performers from rehearsal to the stage...

Thomastik-Infeld Canadian String Orchestra
MusicFest Canada

“
RATstands Jazz Stand
has proven to meet all my
needs as a musician during
performances and practice
sessions.

”

Jazz Stand
Pages 4-5



Music Stands



Jazz Stand

69Q13

5 year warranty



1 Flexible Height Range: The telescopic stem allows the Jazz Stand to be set high enough for a trumpeter, and low enough for a young cellist.

4 Virtually Unbreakable: The Jazz tray is injection moulded, and if it is bent it will spring back.

2 Uses Friction: Friction locks will automatically hold the tray at the desired height and angle, without the requirement of adjusting any thumb screws or levers.

5 Rubber Feet: Preserve the floor and prevent clatter if the stand is knocked.

3 Lightweight: Made from aluminium, the Jazz Stand is lightweight and easy to carry between rehearsals and performances.

6 Compact Storage: When folded, the stands interlock to form an orderly pile.

Specification

- Tray width 501mm / 19.7in
- Tray height (score area only) 323mm / 12.7in
- Depth of tray lip 57mm / 2.2in
- Lowest height to bottom of score 432mm / 17in
- Tallest height to bottom of score 1230mm / 48.4in
- 10 stands stacked on top of each other 430 x 504 x 437mm / 16.9 x 19.8 x 17.2in
- Weight of stand 2.8kg / 6.2lbs
- Volume of folded stand 403 x 503 x 70mm / 15.9 x 19.8 x 2.8in
- Maximum weight tray can hold 2.5kg / 5.5lbs

Accessories

69Q7
Jazz Stand Trolley

More Details:
Page 25



69Q3 – 6UP | 69Q4 – 24UP
Flight Case for Jazz Stand

More Details:
Page 25





**VERTICAL
STEM**

Jazz Stand Pro

69Q14

5 year warranty



- 1 Greater Height Range:** The vertical stem allows for the stand to have a much higher range of height in comparison to the Jazz Stand (69Q13).
- 3 Increased Stability:** Stability is not compromised when the stand is used at a greater height, due to the addition of an extra foot.

- 2 Space Saving:** The base is reversed in comparison to the Jazz Stand so that the musician can stand closer to the music stand, and the stand can be placed closer to the musician in front.
- 4 Compact Storage:** Stand folds completely flat to the size of the tray in 4 simple moves.

Specification

- Tray width 501mm / 19.7in
- Tray height 323mm / 12.7in
- Depth of tray lip 57mm / 2.2in
- Lowest height to bottom of score 483mm / 19in
- Tallest height to bottom of score 1581mm / 62.2in
- Volume folded stand 441 x 503 x 70mm / 17.4 x 19.8 x 2.8in
- Weight of stand 3kg / 6.6lbs
- Maximum weight tray can hold 2.5kg / 5.5lbs

Accessories

69Q7

Jazz Stand Trolley

More Details:
Page 25



69Q41 - 24UP

Flight Case for Jazz Stand Pro

More Details:
Page 25





**Great
Height
Range**

Alto Stand

**88Q06 -6up
88Q02- 1up**

5 year warranty



1 Virtually Unbreakable: The Alto Stand tray is injection moulded, and if it is bent it will spring back.

2 Uses Friction: Friction locks will automatically hold the tray at the desired height and angle, without the requirement of adjusting any thumb screws or levers.

3 Rubber Feet: Preserve the floor and prevent clatter if the stand is knocked.

4 Height Range: The Alto Stand has a great range of height adjustment and can be positioned taller than any other music stand. Equally suitable for young cellists or musicians on a riser.

5 Scratch Resistant: The stand has an extremely tough and scratch resistant coating, which makes it incredibly durable.

6 Compact Storage: The Alto Stand can be stored where other music stands cannot, such as under desks and tables. The bases interlock and the stands nest together, taking up minimal storage space.

Specification

- Tray width 503mm / 19.8in
- Tray height (score area only) 323mm / 12.7in
- Depth of tray lip 57mm / 2.2in
- Lowest height to bottom of score 715mm / 28.1in
- Tallest height to bottom of score 1601mm / 63in
- Nesting pitch 65mm / 2.6in
- Storage height 690mm / 27.2in
- Floor area occupied by 20 stands 1639 x 480mm / 64.5 x 18.9in
- Weight of stand 2.8kg / 6.2lbs
- Maximum weight tray can hold 2.5kg / 5.5lbs

Accessories

88Q08

Alto Stand Trolley

More Details:
Page 25






**New &
Improved
Design**

Scherzo Stand

82Q11

5 year warranty



1 No Screws or Finger Traps: A button on the back of the tray allows the tray angle to be adjusted using only one hand.

2 Height Adjustable: Strong stem clasps secure the tray height and ensures it will not slip.

3 Lightweight: The Scherzo Stand weighs less than any other on the market.

4 Compact Storage: The newly designed base permits the feet to fold upwards, making the stand small enough to fit inside a standard backpack.

Specification

- Tray width 465mm / 18.3in
- Tray height 290mm / 11.4in
- Depth of tray lip 35mm / 1.4in
- Lowest height to bottom of score 545mm / 21.5in
- Tallest height to bottom of score 1095mm / 43.1in
- Stand folded 460 x 90 x 120mm / 18.1 x 3.5 x 4.7in
- Weight 0.675kg / 1.5lbs
- Maximum weight tray can hold 1kg / 2.2lbs

Accessories

89Q1

Star Light

More Details:
Page 20



**No.1
Choice for
Education**

Performer3 Stand

**90Q1 - 6UP
90Q2 - 1UP**

5 year warranty

Features

- Unlike metal stands, the tray is made of a polymer which does not 'ring' when knocked.
- Friction locks automatically hold the tray at the desired height and angle.
- The stem friction can be increased to hold heavier scores.
- Easily switch between using as a music stand, a universal tablet stand, and acoustic screen.
***Tray available to purchase separately.**

Specification

Tray width 499mm / 19.6in	Nesting pitch 70mm / 2.8in
Tray height 324mm / 12.8in	Storage height 905mm / 35.6in
Depth of tray lip 57mm / 2.2in	Weight of stand 2.8kg / 6.2lbs
Lowest height to bottom of score 699mm / 27.5in	Maximum weight tray can hold 2.5kg / 5.5lbs
Tallest height to bottom of score 1320mm / 52in	

Accessories

90Q3

Additional lip for Performer 3 Stand


More Details:
Page 24-25



59Q2

Performer3 Stand Trolley

More Details:
Page 24-25



Interchangeable



**NEW
FOR
2024**

Performer3 Tablet Stand

202Q13

5 year warranty

Features

- Compatible with all tablet models and sizes.
- Features a shelf for stationary, digital stylus, battery packs, charging cables etc. The shelf has two hooks for musicians bows.
- View the tablet in either portrait or landscape orientation. The screen angle can be adjusted by simply tilting the tablet.
***Tablet holder available to purchase separately.**

Specification

Maximum tablet thickness - Up to 12mm / 0.5in
 Tablet size (min-max) 170 - 335mm / 6.7 - 13.2in
 Weight of stand 2.4kg / 5.3lbs



**NEW
FOR
2024**

Performer3 Acoustic Screen

91Q19-1 1UP
 91Q19-6 6UP

5 year warranty

Features

- The screen acts to block sound waves from transmitting between musicians.
- The shield also offers direct protection between musicians by separating the space that they play in.
- The screen is manufactured from a 2mm thick transparent PETG screen which does not obstruct the musician's view.
***Screen available to purchase separately.**

Specification

Screen (H x W) 600 x 500mm / 23.6 x 19.7in
 Overall height of stand 1112 - 1740mm / 43.8 - 68.5in
 Weight of stand 2.8kg / 6.2lbs



Interchangeable from a music stand, to tablet stand, to acoustic screen in seconds.

**NEW
FOR
2024**



Jazz Tablet Stand

202Q11

5 year warranty



- 1 Universal:** Compatible with all models and sizes of tablets/iPads (within the size range of 170-335mm 6.7-13.2in).
- 2 Compact & Lightweight:** The stand is collapsible to the size of the base in seconds with no tools or levers to adjust. Stands can be vertically stacked and interlock for storage. Storage trolley available.
- 3 Easy Adjustment:** The screen angle can be adjusted by simply tilting the hinge to the users optimum viewing position.
- 4 Flexible Friction:** The stand uses friction locks to hold the tablet at the height it is set. The telescopic stem allows the stand to be converted from a tabletop to floor standing tablet holder in seconds. The stand can be set at over 1.2m high.
- 5 Pencil Shelf:** The stand features a shelf for stationary, digital stylus', battery packs, charging cables etc. The shelf also has two hooks for musicians bows.
- 6 Secure Clamp:** The tablet is secured on two sides by the adjustable soft-closing clamp and can be viewed in either portrait or landscape orientation.

Specification

- Maximum tablet thickness - Up to 12mm / 0.5in
- Tablet size (min-max) 170 - 335mm / 6.7 - 13.2in
- Lowest height to bottom of tablet 439mm / 17.3in
- Tallest height to bottom of tablet 1230mm / 48.4in
- Tilt angle - vertical to 18 degrees from the horizontal
- Stacking pitch 53mm / 2.1in
- Volume of folded stand 406 x 504 x 64mm / 16 x 19.8 x 2.5in
- Weight of stand 2.4kg / 5.3lbs

Accessories

69Q23

Gig Bag Pro

More Details:
Page 24



202Q20

Jazz Tablet Stand Trolley

More Details:
Page 25



FM Microphone Stand

55Q3

5 year warranty

Features

- Friction locks for height adjustment- between 439mm - 1527mm
- Modern and innovative design
- Folds completely flat
- Ideal for studio or stage use

Specification

Minimum height to top of stem 439mm / 17.3in

Maximum height to top of stem 1527mm / 60.1in

Volume folded 500 x 446 x 30mm / 19.7 x 17.6 x 1.2in

Microphone screw size 3/8 Whitworth

Maximum weight microphone 1kg / 2.2lbs

Weight of stand 1.9kg / 4.2lbs



55Q20

Microphone and Boom Stand Bag

More Details:

Pages 24



Microphone Boom Stand

55Q02

5 year warranty

Features

- Vertical stem with a variable height of 513mm -1849mm
- Friction locks for height adjustment- no screws or levers.
- Folds completely flat
- Ideal for stage or studio use
- Fully adjustable boom arm- tilt, swivel and length

Specification

Minimum height to top of stem 513mm / 20.2in

Maximum height to top of stem 1849mm / 72.8in

Volume folded 540 x 500 x 43mm / 21.3 x 19.7 x 1.7in


Boom Arm Length 613mm / 24.1in

Microphone screw size 3/8 Whitworth

Maximum weight microphone 1.5kg / 3.3lbs

Weight of stand 2.5kg / 5.5lbs






“
**Fantastic,
comfortable,
versatile and
easy to use**
”

Apollo Light
Page 21

KCox (Orchestra of the Swan)



Music Stand **Lights**

Star Light

89Q1

2 year warranty

Specification

Profile of lamp as seen by user: thickness 20mm / 0.8in

Profile of lamp as seen by user: width 205mm / 8.1in

Cable length 2m (charger cable) / 6.6ft

Weight (without charger) 0.25kg / 0.6lbs

Colour temperature: 6000K

Electrical power consumption 0.7 W

Running time on full brightness 5 hours

Charging time from flat 3.5 hours



- 1 High Quality LED's:**
10 LED's provide a good and even spread of light across the score.
- 2 Two Brightness Levels:**
The musician can control the brightness of the light by a switch on the side of the lamp housing.
- 3 Charge & Play:**
The Star Light is powered using Lithium-Ion batteries and can be recharged whilst in use with the supplied charger.
- 4 Carry Case Included:**
To protect the light when travelling between rehearsals and shows.

Apollo Light

73Q06S

2 year warranty

Specification

Profile of lamp as seen by user: thickness 16mm / 0.6in

Profile of lamp as seen by user: width 330mm / 13in


Cable length 2m / 6.6ft (3.5m / 11.5ft including PSU)

Weight 0.6kg / 1.3lbs

Colour temperature 3000K

Operating voltage 24V

Electrical power consumption 3.6W



- 1 High Quality LED's:**
A strip of 18 LEDs, with a colour temperature of 3000K, provides light which is relaxing for the musician.
- 2 Professional Housing:**
The Apollo Light has very slim housing which ensures that the lamp does not obstruct the musicians' view of the conductor.
- 3 Powerful Spring Clip:**
The steel construction enables the clip to be very slender on the music side of the tray, preventing it from interfering with the score.
- 4 Carry Case Included:**
To transport the light safely between rehearsals and shows.

NEW



Apollo Piano Light

93Q1

Specification

Profile of lamp as seen by user: thickness 16mm / 0.6in

Profile of lamp as seen by user: width 330mm / 13in

Weight 5.3kg / 11.7lbs

Colour temperature: 3000K

Operating voltage 24V

Electrical power consumption 3.1 W

High Quality LEDs:

A strip of high quality and energy efficient LEDs, with a colour temperature of 3000K, provides light which is relaxing for the musician.

Strong and Stable:

The steel base is weighted for stability to ensure the lamp stays where it is placed. The base has a rubber underlay so that the lamp does not scratch the piano.

Optimal Positioning:

The flexible gooseneck is 800mm long, allowing the pianist to find the optimal position for their lamp. Very slim housing ensures that the lamp doesn't obstruct the musician's view.

Elegant design:

The elegant black design is unlike any other desk style lamp and will complement any piano.

NEW



Apollo Piano Light

With battery dock

93Q2

Specification

Profile of lamp as seen by user: thickness 16mm / 0.6in

Profile of lamp as seen by user: width 330mm / 13in

Weight 4.9kg (without battery) / 10.8lbs

Colour temperature: 3000K

Operating voltage 24V

Electrical power consumption 5.4 W

High Quality LEDs:

A strip of high quality and energy efficient LEDs, with a colour temperature of 3000K, provides light which is relaxing for the musician.

Strong and Stable:

The steel base is weighted for stability to ensure the lamp stays where it is placed. The base has a rubber underlay so that the lamp does not scratch the piano.

Optimal Positioning:

The flexible gooseneck is 800mm long, allowing the pianist to find the optimal position for their lamp. Very slim housing ensures that the lamp doesn't obstruct the musician's view.

Battery Powered:

This lamp can be powered by battery, offering a cable free option for performance use. The battery will give a reasonable amount of light for 5 hours and can also be charged whilst in use.

Amelia Sharp
Photographer Alessio Chao
Orchestra Sinfonica Fiorentina

Accessories & Trolleys

Accessories



NEW DESIGN

Gig Bag Pro

69Q23

2 Zip Compartments:

For sheet music and other musicians' essentials.

Dense Padding:

Ensures the stand is protected when travelling between rehearsals and shows.

Adjustable Shoulder Strap:

The detachable strap has a shoulder pad for comfort. There is a padded handle for an alternative way to carry the stand.

Compatible with the Jazz Stand, Jazz Stand Pro, Universal Tablet Jazz Stand, Z3 Pro Tablet Stand.

Microphone & Boom Stand Bag

55Q20



Compatible with
FM Mic Stand (55Q3)
Microphone Boom Stand (55Q02)

Additional lip for Performer 3 Stand

90Q3



Add to the Performer 3 Tray to hold pencils and small instruments.

Trolleys & Flight Cases



**Jazz Stand
Flight Case 6UP**

69Q3



**Jazz Stand
Flight Case 24UP**

69Q4 Includes castors



**Jazz Stand
Pro Flight Case 24UP**

69Q41 Includes castors



**Jazz Stand
Trolley 24UP**

69Q7 Compatible with
Jazz Stand (69Q13)
Jazz Stand Pro (69Q14)
202Q20 Jazz Tablet Stand
(202Q11)



**Performer 3
Stand Trolley 18UP**

59Q2 Compatible with
Performer3
Music Stand (90Q2)
Acoustic Screen (202Q13)
Tablet Stand (91Q19)



**Alto Stand
Trolley 18UP**

88Q08

Contact Us:

Head Office:

**Unit 5 Waterside Business Park
Eastways, Witham CM8 3YQ, UK**

Website: www.ratstands.com

Phone: **+44 (0) 20 8741 4804**

Email: sales@ratstands.com



RAT*stands*